

**From:** [Miano, John \(DEP\)](#)  
**To:** [Casey, Carolyn](#)  
**Subject:** RE: USM letters for building 600 and Elliot Landing condos  
**Date:** Thursday, July 12, 2018 12:24:39 PM

---

I read these two letters, and they look fine to me. Maybe you want to apply the edits I made to the Building 100 version to these also. I see that you already made one of the changes.

Regards,  
Jack

---

**From:** Casey, Carolyn [mailto:Casey.Carolyn@epa.gov]  
**Sent:** Thursday, July 12, 2018 12:06 PM  
**To:** Miano, John (DEP)  
**Subject:** RE: USM letters for building 600 and Elliot Landing condos

I fixed the typo in the last sentence of the first para – deleted “data results” and fixed the justification of the entire para from full to left.  
Thanks for your time and input!

---

**From:** Casey, Carolyn  
**Sent:** Wednesday, July 11, 2018 12:18 PM  
**To:** 'Miano, John (DEP)' <john.miano@state.ma.us>  
**Cc:** Wainberg, Daniel <Wainberg.Daniel@epa.gov>; Zucker, Audrey <Zucker.Audrey@epa.gov>  
**Subject:** USM letters for building 100

Could you please take a quick look at this letter and let us know if you think it's appropriate or if we should change anything. This is a revision of what Cummings sent us last week (pdf attached FYI) that they proposed to use to transmit the data to the suite managers. All 3 word docs are essentially the same for the 3 suites in building 100.

We thought theirs was just too complicated and it's still apparent we do not agree on some of the issues, even after the recent conference call we all had. So we simplified it and added the mitigation language. We wanted your OK before we sent it to Cummings.

Note we included you as a contact. A building 500 and 600 letter will be coming soon.

Thanks

Carolyn

[Carolyn J. Casey](#)

U.S. Environmental Protection Agency

5 Post Office Square, Suite 100

Mail code OSRR 07-3

Boston, MA 02109-3912

P 617-918-1368

F 617-918-0368

[casey.carolyn@epa.gov](mailto:casey.carolyn@epa.gov)